Environmental Protection Agency

Commodity	Parts per million
Bean, lima	1.0
Bean, succulent	2.0
Broccoli	1.0
Cabbage, abyssinian	10.0
Cabbage, seakale	10.0
Cattle, fat	0.05
Cattle, kidney	0.2
Cattle, meat	0.05
Cattle, meat byproducts, except kidney	0.05
Egg	0.03
Garlic	0.23
Garlic, great-headed, bulb	0.2
Goat, fat	0.05
Goat, kidney	0.2
Goat, meat	0.05
Goat, meat byproducts, except kidney	0.05
Hanover salad, leaves	10.0
Hog, fat	0.05
Hog, kidney	0.2
Hog, meat	0.05
Hog, meat byproducts, except kidney	0.05
Horse, fat	0.05
Horse, kidney	0.2
Horse, meat	0.05
Horse, meat byproducts, except kidney	0.05
Leek	3.0
Mango ¹	0.3
Milk	0.05
Mushroom	1.0
Onion, bulb	0.2
Onion, green	3.0
Onion, potato	3.0
Onion, tree	3.0
Onion, welsh	3.0
Pepper	1.0
Potato	0.8
Poultry, fat (from chicken layer hens and chick-	
en breeder hens only)	0.05
Poultry, meat (from chicken layer hens and	0.00
chicken breeder hens only)	0.05
	0.03
Poultry, meat byproducts (from chicken layer	
hens and chicken breeder hens only)	0.05
Rakkyo, bulb	0.2
Shallot, bulb	0.2
Shallot, fresh leaves	3.0
Sheep, fat	0.05
Sheep, kidney	0.2
Sheep, meat	0.05
Sheep, meat byproducts, except kidney	0.05
Tomato	0.5
Turnip, greens	10.0
Vegetable, brassica, leafy, group 5, except broc-	.5.0
coli	10.0
	7.0
Vegetable, leafy, except brassica, group 4	
Vegetable, cucurbit, group 9	1.0

¹There are no U.S. registrations on mango as of May 4, 2000.

(2) A tolerance of 5.0 parts per million is established for residues of the insecticide cyromazine, including its metabolites and degradates, in or on poultry feed when used as a feed additive only in feed for chicken layer hens and chicken breeder hens at the rate of not more than 0.01 pound of cyromazine per ton of poultry feed for control of flies in manure of treated chicken layer hens and chicken breeder hens, provided the feeding of

cyromazine-treated feed must stop at least 3 days (72 hours) before slaughter. If the feed is formulated by any person other than the end user, the formulator must inform the end user, in writing, of the 3-day (72 hours) pre-slaughter interval. Compliance with the tolerance level specified in this paragraph is to be determined by measuring only cyromazine, N-cyclopropyl-1,3,5-triazine-2,4,6-triamine, in or on the commodity.

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. Tolerances are established for indirect or inadvertent residues of the insecticide cyromazine, including its metabolites and degradates, in or on the commodities in the table in this paragraph when present therein as a result of the application of cyromazine to growing crops listed in paragraph (a)(1) of this section. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only N-cyclopropyl-1,3,5-tricyromazine, azine-2,4,6-triamine, in or on the commodity.

Commodity	Parts per million
Cotton, undelinted seed	0.1
moved	0.5
Corn, sweet, forage	0.5
Corn, sweet, stover	0.5
Radish, roots	0.5
Radish, tops	0.5

[65 FR 25860, May 4, 2000, as amended at 67 FR 72593, Dec. 6, 2002; 68 FR 55269, Sept. 24, 2003; 75 FR 22256, Apr. 28, 2010; 76 FR 23494, Apr. 27, 2011]

§ 180.415 Aluminum tris (Oethylphosphonate); tolerances for residues.

(a) General. Tolerances are established for residues of the fungicide aluminum tris (O-ethylphosphonate), including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only aluminum tris (O-ethylphosphonate), in or on the commodity.

§ 180.416

Commodity	Parts per million
Avocado	25
Banana	3.0
Bushberry subgroup 13B	40
Caneberry subgroup 13A	0.1
Cranberry	0.5
Fruit, citrus, group 10	5.0
Fruit, pome, group 11	10
Ginseng	0.1
Hop, dried cones	45
Juneberry	40
Lingonberry	40
Nut, macadamia	0.20
Onion, bulb	0.5
Onion, green	10.0
Pea, succulent	0.3
Pineapple	0.1
Salal	40
Strawberry	75
Tomato	3
Turnip, greens	40
Turnip, roots	15
Vegetable, brassica, leafy, group 5	60
Vegetable, cucurbit, group 9	15
Vegetable, leafy, except brassica, group 4	100

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. Tolerances with regional registration, as defined in §180.1(1), are established for residues of the fungicide aluminum tris (O-ethylphosphonate), including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only aluminum tris (O-ethylphosphonate), in or on the commodity.

Commodity	Parts per million
Asparagus	0.1 10

(d) Indirect or inadvertent residues. [Reserved]

[64 FR 36801, July 8, 1999, as amended at 64 FR 37875, July 14, 1999; 65 FR 50438, Aug. 18, 2000; 67 FR 55346, Aug. 29, 2002; 68 FR 11335, Mar. 10, 2003; 70 FR 7047, Feb. 10, 2005; 76 FR 23494, Apr. 27, 2011]

§ 180.416 Ethalfluralin; tolerances for residues.

(a) General. Tolerances are established for residues of the herbicide ethalfluralin [N-ethyl-N-(2-methyl-2-propenyl)-2,6-dinitro-4-

(trifluoromethyl)benzenamine] in or on the following raw agricultural commodities:

Commodity	Parts per million
Bean, dry, seed	0.05
Dill, dried leaves	0.05
Dill, fresh leaves	0.05
Mustard, seed	0.05
Peanut	0.05
Pea, dry, seed	0.05
Potato	0.05
Rapeseed, seed	0.05
Safflower, seed	0.05
Soybean	0.05
Sunflower, seed	0.05
Vegetable, cucurbit, group 9	0.05

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[49 FR 391, Jan. 4, 1984, as amended at 50 FR 4976, Feb. 5, 1985; 52 FR 11262, Apr. 8, 1987; 62 FR 66014, Dec. 17, 1997; 64 FR 5191, Feb. 3, 1999; 64 FR 54782, Oct. 8, 1999; 66 FR 37598, July 19, 2001; 66 FR 41454, Aug. 8, 2001; 67 FR 2342, Jan. 17, 2002; 67 FR 49617, July 31, 2002; 72 FR 68534, Dec. 5, 2007]

$\S\,180.417$ Triclopyr; tolerances for residues.

(a) General. (1) Tolerances for residues of the herbicide triclopyr per se, as a result of the application/use of butoxyethyl ester of triclopyr and triethyylamine salt of triclopyr, are established in or on the following raw agricultural commodities:

Commodity	Parts per million
Egg Fish Grass, forage Grass, hay Milk Poultry, fat Poultry, meat Poultry, meat byproducts, except kidney Rice, grain Rice, straw Shellfish	0.05 3.0 700.0 200.0 0.01 0.1 0.1 0.3 10.0 3.5

(2) Tolerances for the combined residues of the herbicide triclopyr ((3,5,6-trichloro-2-pyridinyl)oxy) acetic acid and its metabolite 3,5,6-trichloro-2-pyridinol (TCP), as a result of the application/use of butoxyethyl ester of triclopyr or the triethylamine salt of triclopyr, are established in or on the following raw agricultural commodities: